

MANTA 4-HP

Wideband (1.7-6GHz) Directional 4X4 MIMO Panel Antenna



- Directional panel antenna for iDAS, stadiums, and other high capacity venues
- 4X4 MIMO with dual-polarization and minimal sidelobes
- Continuous wideband coverage from 1.7-6GHz in each port;
 enabling 5G and future-proofing your system
- Fraction of the size and depth of other solutions


Applications & Markets

- Stadium and Venue DAS
- In-building DAS
- Single & Multi-Carrier Systems
- WiFi systems

The Fractal Advantage™

- Super-wide bandwidth for essentially all frequency applications in single antenna
- "Future proof" design ready for LTE, 5G, CBRS, LAA, C-band and other spectrum rollouts
- Excellent **RF performance** with ultra-wide bandwidth
- Smallest form factor (both size and weight) for given performance on the market

| Frequency-Dependent Specifications | | | | | |
|------------------------------------|-----------|-----------|-----------|-----------|-----------|
| Frequency (MHz) | 1695-2200 | 2200-2700 | 3500-3700 | 3700-4200 | 5100-5900 |
| Avg Gain (dbi) | 11 | 11 | 11 | 10 | 7 |
| Vertical beamwidth | 15-20° | | | | |
| Horizontal beamwidth | 70° | | | | |
| Avg VSWR | <2:1 | | | | |
| PIM | <-153 dBc | | | | |



| Other Specifications | | | |
|------------------------|--|--|--|
| Unit Number | MAN4HPV01 | | |
| Impedance | 50 Ω | | |
| Polarization | Dual | | |
| Max Power | 80 Watts | | |
| Antenna Height x Width | 13" x 13" | | |
| Antenna Depth | 2" | | |
| Input Connect. | 4 X 4.3-10 | | |
| Operating Temp. | -40°F to 130°F | | |
| Radome Material | Kydex, UL94 V-0 rating | | |
| Color | White (Custom color available upon request) | | |

For inquires, contact us at sales@fractenna.com